



ICD-10 coding guide

| | | | |
|--------|--|---------|---|
| I71.3 | AAA w/rupture | M12.84 | Arthropathy/arthritis – hand |
| I71.4 | AAA w/o rupture | M12.85 | Arthropathy/arthritis – hip |
| R19.00 | Abdominal/pelvic swelling, mass – unspecified site | M12.86 | Arthropathy/arthritis – knee |
| R19.01 | Abdominal/pelvic swelling, mass – right upper quadrant | M12.87 | Arthropathy/arthritis – ankle and foot |
| R19.02 | Abdominal/pelvic swelling, mass – left upper quadrant | M12.88 | Arthropathy/arthritis – vertebrae |
| R19.03 | Abdominal/pelvic swelling, mass – right lower quadrant | M12.89 | Arthropathy/arthritis – multiple sites |
| R19.04 | Abdominal/pelvic swelling, mass – left lower quadrant | M12.9 | Arthropathy/arthritis – unspecified form |
| R19.05 | Abdominal/pelvic swelling, mass – periumbilic | R18.0 | Ascites, malignant |
| R19.06 | Abdominal/pelvic swelling, mass – epigastric | R18.8 | Ascites, abdominal |
| R19.07 | Abdominal/pelvic swelling, mass – generalized | I25.10 | ASCVD |
| R19.09 | Abdominal/pelvic swelling, mass – other specified site | J45.901 | Asthma – unspecified with; (acute) exacerbation |
| R09.89 | Abnormal chest sounds | J45.902 | Asthma – status asthmaticus |
| R10.0 | Acute abdomen | J45.909 | Asthma – uncomplicated, asthma NOS |
| I21.3 | Acute MI unspecified | R27.0 | Ataxia |
| B20 | AIDS/symptomatic HIV disease | J98.11 | Atelectasis |
| R41.82 | Altered mental status (AMS) | I48.91 | Atrial fibrillation NOS |
| I20.9 | Angina, NOS | M54.9 | Backache NOS |
| I20.0 | Angina, unstable | H53.8 | Blurred vision |
| R47.01 | Aphasia | M77.9 | Bone spur NOS |
| J80 | ARDS | R00.1 | Bradycardia |
| J06.9 | ARD NOS | G93.9 | Brain lesion |
| M12.80 | Arthropathy/arthritis – unspecified site | N63 | Breast – mass/lump, NOS |
| M12.81 | Arthropathy/arthritis – shoulder | N64.4 | Breast – pain, tenderness |
| M12.82 | Arthropathy/arthritis – elbow | N64.89 | Breast – other specified disorder |
| M12.83 | Arthropathy/arthritis – wrist | R92.0 | Breast – microcalcification |
| | | R92.1 | Breast – calcification |
| | | R92.2 | Breast – dense |
| | | J40 | Bronchitis |
| | | J20.9 | Bronchitis – acute |
| | | J42 | Bronchitis – chronic |
| | | M70.1 | Bursitis – wrist |
| | | M70.2 | Bursitis – elbow, olecranon |

For additional codes and when prompted by “-” or “.” following an ICD-10 code, consult the ICD-10 coding book.

| | | | |
|---------|--|---------|--|
| M70.3 | Bursitis – elbow NEC | R05 | Cough |
| M70.4 | Bursitis – knee, prepatellar | K76.89 | Cyst – liver |
| M70.5 | Bursitis – knee NEC | M85.60 | Cyst – bone NEC |
| M70.6 | Bursitis – hip, trochanteric | N28.1 | Cyst – kidney (acquired) |
| M70.7 | Bursitis – hip NEC | N60.0- | Cyst – breast (solitary) |
| M71.50 | Bursitis – unspecified site, NEC | N83.20 | Cyst – ovary |
| M75.5 | Bursitis – shoulder | M50.30 | Degeneration, cervical disc |
| M77.9 | Bursitis – foot | M50.10 | Degeneration, cervical disc – with radiculopathy |
| M77.3 | Calcaneal spur | M51.36 | Degeneration, lumbar disc |
| C50.9 | Cancer, breast – female (unspecified site) | M51.16 | Degeneration, lumbar disc – with radiculopathy |
| C50.92 | Cancer, breast – male (unspecified site) | M51.34 | Degeneration, thoracic disc |
| I51.7 | Cardiomegaly, idiopathic | M51.14 | Degeneration, thoracic disc – with radiculopathy |
| I65.2 | Carotid stenosis | M23.9- | Derangement, knee |
| I63.23 | Carotid stenosis – with cerebral infarction | M23.30- | Derangement, knee – meniscus |
| I65.23 | Carotid stenosis – bilateral | M23.20- | Derangement, knee – due to old tear/injury |
| Z45.2 | Catheter check; vascular | J34.2 | Deviated nasal septum |
| Z49.0 | Catheter check – non-vascular | M50.20 | Displacement, cervical disc |
| I63.9 | Cerebrovascular accident | M50.10 | Displacement, cervical disc – with radiculopathy |
| S13.9 | Cervical sprain/strain – joints and ligaments NOS | M51.26 | Displacement, lumbar disc |
| S16.1 | Cervical sprain/strain – muscle, fascia, tendon | M51.16 | Displacement, lumbar disc – with radiculopathy |
| I50.9 | CHF NOS | M51.24 | Displacement, thoracic disc |
| R68.83 | Chills (without fever) | M51.14 | Displacement, thoracic disc – with radiculopathy |
| K81.9 | Cholecystitis | K57.92 | Diverticulitis |
| K81.0 | Cholecystitis – acute | K57.93 | Diverticulitis – with hemorrhage |
| K81.1 | Cholecystitis – chronic | K57.90 | Diverticulosis |
| K80.20 | Cholelithiasis, gallbladder | K57.91 | Diverticulosis – with hemorrhage |
| K80.21 | Cholelithiasis, gallbladder – with obstruction | R42 | Dizziness/lightheadedness |
| K80.70 | Cholelithiasis, gallbladder/bile duct | M19.90 | DJD; unspecified |
| K80.71 | Cholelithiasis, gallbladder/bile duct – with obstruction | M19.01- | DJD – shoulder region |
| M22.4- | Chondromalacia patellae | M19.02- | DJD – elbow |
| N18.9 | Chronic kidney disease (CKD) | M19.03- | DJD – wrist |
| G89.4 | Chronic pain syndrome | M19.07- | DJD – ankle and foot |
| R41.0 | Confusion NOS | M16- | DJD – hip |
| K59.00 | Constipation | M17- | DJD – knee, bilateral |
| T14.8 | Contusion; NOS | I82.40- | DVT, leg, NOS |
| S00.93- | Contusion; NOS – head | N94.6 | Dysmenorrhea |
| S20.2- | Contusion; NOS – thorax | R13.10 | Dysphagia, unspecified |
| S30.0- | Contusion; NOS – low back/pelvis | R06.00 | Dyspnea |
| S30.1- | Contusion; NOS – abdomen | R30.0 | Dysuria |
| S40.02- | Contusion; NOS – arm (upper) | R60.0 | Edema – leg(s) |
| S50.1- | Contusion; NOS – arm (lower) | R60.0 | Edema – localized |
| S80.0- | Contusion; NOS – knee | | |
| S80.1- | Contusion; NOS – leg | | |
| J44.9 | COPD | | |
| I25.10 | Coronary atherosclerosis (ASHD) | | |

For additional codes and when prompted by “-” or “.” following an ICD-10 code, consult the ICD-10 coding book.

| | | | |
|---------|---|---------|---|
| R60.1 | Edema – generalized | Z91.81 | History of falling |
| R60.9 | Edema – unspecified | N43.3 | Hydrocele |
| M25.40 | Effusion, joint, unspecified | N13.30 | Hydronephrosis |
| M25.41- | Effusion, joint – shoulder | I10 | Hypertension NOS |
| M25.42- | Effusion, joint – elbow | R93.9 | Inconclusive test – due to excess body fat |
| M25.43- | Effusion, joint – wrist | N97.9 | Infertility, female NOS |
| M25.44- | Effusion, joint – hand | R91.8 | Infiltrate, lung |
| M25.45- | Effusion, joint – hip | S09.90- | Injury, unspecified type – head |
| M25.46- | Effusion, joint – knee | S09.93- | Injury, unspecified type – face |
| M25.47- | Effusion, joint – ankle and foot | S39.91- | Injury, unspecified type – abdomen |
| M25.48 | Effusion, joint – other site | S49.9- | Injury, unspecified type – shoulder/arm (upper) |
| I26.99 | Embolism, pulmonary (acute) | S59.90- | Injury, unspecified type – elbow |
| N40.0 | Enlarged prostate | S59.91- | Injury, unspecified type – forearm |
| J43.9 | Emphysema | S69.9- | Injury, unspecified type – hand/finger |
| N18.6 | ESRD | S79.91- | Injury, unspecified type – hip |
| Z80.3 | Family history – breast cancer | S79.92- | Injury, unspecified type – thigh |
| Z82.49 | Family history – other cardiovascular disease | S89.9- | Injury, unspecified type – knee/leg (lower) |
| Z82.62 | Family history – osteoporosis | S99.92- | Injury, unspecified type – foot |
| K76.0 | Fatty liver | T07 | Injury, unspecified type – multiple NOS |
| R50.9 | Fever (with chills) | T14.90 | Injury, unspecified type – unspecified type, unspecified site |
| R91.1 | Findings, abnormal – solitary lung nodule | J84.9 | Interstitial lung disease NOS |
| R91.8 | Findings, abnormal – other lung field finding | D25- | Leiomyoma, uterus |
| R92.8 | Findings, abnormal – mammogram | Z79.818 | Long-term drug therapy; estrogen |
| R93.2 | Findings, abnormal – biliary tract/liver | H54.7 | Loss of vision, NOS |
| R93.3 | Findings, abnormal – GI tract | J98.4 | Lung calcification |
| R93.7 | Findings, abnormal – musculoskeletal | R59.1 | Lymphadenopathy |
| M84.48- | Fracture – vertebral, pathological | M83.9 | Malacia, bone (adult) |
| R26.9 | Gait abnormality (unspecified) | Z12.31 | Mammogram, screening |
| K21.9 | GERD – reflux | N28.89 | Mass – kidney |
| K21.0 | GERD – reflux – with esophagitis | R16.0 | Mass – liver |
| E04.1 | Goiter – uninodular (nontoxic) | R22.0 | Mass – head |
| E04.2 | Goiter – multinodular (nontoxic) | R22.1 | Mass – neck |
| M20.1 - | Hallux valgus – acquired | R22.2 | Mass – chest |
| Q66.6 | Hallux valgus – congenital | R22.9 | Mass – superficial |
| M20.3- | Hallux varus – acquired | N92.0 | Menorrhagia |
| Q66.3 | Hallux varus – congenital | N95.0 | Menorrhagia – postmenopausal |
| R51 | Headache/facial pain | R41.3 | Memory loss |
| H90.5 | Hearing loss – central NOS | G43.909 | Migraine – unspecified |
| H90.5 | Hearing loss – perceptive NOS | G31.84 | Mild cognitive impairment |
| H90.5 | Hearing loss – sensory NOS | M62.838 | Muscle spasm |
| R31.9 | Hematuria | M62.81 | Muscle weakness (generalized) |
| K92.2 | Hemorrhage – gastrointestinal NOS | R11.0 | Nausea w/o vomiting |
| I61.9 | Hemorrhage – intracerebral (non-traumatic) | R91.1 | Nodule, lung, solitary |
| I62.00 | Hemorrhage – subdural (non-traumatic) | R20.0 | Numbness |
| K40.90 | Hernia – inguinal NOS | Z04.1 | Observation following accident; transport |
| K42.9 | Hernia – umbilical | | |
| K44.9 | Hernia – hiatal | | |

For additional codes and when prompted by “-” or “.” following an ICD-10 code, consult the ICD-10 coding book.

| | | | |
|---------|--|---------|---|
| Z04.3 | Observation following accident – other accident | Z86.73 | Personal history – transient ischemic attack |
| M85.8- | Osteopenia | J90 | Pleural effusion – NEC |
| M81.0 | Osteoporosis | J18.9 | Pneumonia, unspecified |
| M80.0- | Osteoporosis – age related, with current pathological fracture | J93.9 | Pneumothorax |
| Z13.820 | Osteoporosis – screening | J95.811 | Pneumothorax – postprocedural |
| R52 | Pain NOS | J93.0 | Pneumothorax – tension (spontaneous) |
| R10.9 | Pain, abdominal | S27.0- | Pneumothorax – traumatic |
| R10.11 | Pain, abdominal – right upper quadrant | M71.2- | Popliteal cyst/Baker’s cyst |
| R10.12 | Pain, abdominal – left upper quadrant | R76.11 | Positive PPD |
| R10.13 | Pain, abdominal – epigastric | Z78.0 | Postmenopausal state (NOS) |
| R10.31 | Pain, abdominal – right lower quadrant | J81.1 | Pulmonary edema NOS |
| R10.32 | Pain, abdominal – left lower quadrant | J81.0 | Pulmonary edema NOS – acute |
| R10.33 | Pain, abdominal – periumbilic | J84.10 | Pulmonary fibrosis |
| R10.84 | Pain, abdominal – generalized | M54.10 | Radiculopathy |
| M79.60- | Pain, arm | M54.12 | Radiculopathy – cervical region |
| M54.9 | Pain, back | M54.14 | Radiculopathy – thoracic region |
| R07.9 | Pain, chest | M54.15 | Radiculopathy – thoracolumbar region |
| R07.89 | Pain, chest – wall | M54.16 | Radiculopathy – lumbar region |
| R07.2 | Pain, chest – precordial | M54.17 | Radiculopathy – lumbosacral region |
| R07.89 | Pain, chest – pressure/tightness | I70.1 | Renal artery stenosis |
| R68.84 | Pain, jaw | N19 | Renal failure – unspecified |
| M25.50 | Pain, joint | N17.9 | Renal failure – acute |
| M25.51- | Pain, joint – shoulder | N18.9 | Renal failure – chronic |
| M25.52- | Pain, joint – elbow | R06.00 | Respiratory distress |
| M25.53- | Pain, joint – wrist | J96.90 | Respiratory failure – unspecified |
| M25.55- | Pain, joint – hip | J96.0- | Respiratory failure – acute |
| M25.56- | Pain, joint – knee | J96.1- | Respiratory failure – chronic |
| M25.57- | Pain, joint – ankle | M54.3- | Sciatica |
| M79.64- | Pain, joint – hand/finger | M41.9 | Scoliosis |
| M25.57- | Pain, joint – foot/toe | R56.9 | Seizure NOS |
| N23 | Pain, kidney | R06.02 | Shortness of breath |
| M79.60- | Pain, leg | M75.4- | Shoulder impingement |
| M54.5 | Pain, low back/lumbar | J32.9 | Sinusitis; unspecified |
| M54.2 | Pain, neck NEC | J01.90 | Sinusitis – acute |
| G89.3 | Pain, neoplasm-related | J32.9 | Sinusitis – chronic |
| R10.2 | Pain, pelvic (female) | R47.81 | Slurred speech |
| M54.6 | Pain, thoracic spine | R16.1 | Splenomegaly |
| R00.2 | Palpitations | M43.12 | Spondylolithesis (non traumatic) – cervical |
| R20.2 | Paresthesia | M43.14 | Spondylolithesis (non traumatic) – thoracic |
| I73.9 | Peripheral vascular disease (PVD) NOS | M43.15 | Spondylolithesis (non traumatic) – thoracolumbar |
| Z85.51 | Personal history – bladder cancer | M43.16 | Spondylolithesis (non traumatic) – lumbar |
| Z85.3 | Personal history – breast cancer | M43.17 | Spondylolithesis (non traumatic) – lumbosacral |
| Z86.718 | Personal history – DVT | M43.19 | Spondylolithesis (non traumatic) – multiple sites |
| Z85.118 | Personal history – lung cancer NEC | M47.812 | Spondylosis, cervical |
| Z85.46 | Personal history – prostate cancer | M47.22 | Spondylosis, cervical – with radiculopathy |

For additional codes and when prompted by “-” or “.” following an ICD-10 code, consult the ICD-10 coding book.

| | | | |
|---------|--|----------|---|
| M47.816 | Spondylosis, lumbar | R22.4- | Swelling, localized (skin) – lower limb |
| M47.26 | Spondylosis, lumbar – with radiculopathy | R55 | Syncope/fainting |
| M47.814 | Spondylosis, thoracic | S83.209- | Tear (current) meniscus |
| M47.24 | Spondylosis, thoracic – with radiculopathy | S83.25- | Tear (current) meniscus – lateral – bucket-handle |
| S13.4- | Sprain – cervical | S83.21- | Tear (current) meniscus – medial – bucket-handle |
| S63.61- | Sprain – finger | H93.1- | Tinnitus – unspecified |
| S63.50- | Sprain – wrist | G45.9 | Transient ischemic attack |
| S83.9- | Sprain – knee | Z36 | Ultrasound, OB, routine |
| S93.40- | Sprain – ankle | N39.0 | Urinary tract infection |
| Z95.1 | Status post CABG | N85.2 | Uterine enlargement |
| Z95.0 | Status post pacemaker | D25- | Uterine fibroid |
| I35.0 | Stenosis – aortic valve | N93.9 | Vaginal bleeding |
| I05.0 | Stenosis – mitral valve | R11.10 | Vomiting |
| K31.1 | Stenosis – pyloric (acquired) | R11.2 | Vomiting – with nausea |
| N35.9 | Stenosis – urethra NOS | R53.1 | Weakness (generalized) |
| M48.02 | Stenosis, spinal – cervical | R29.810 | Weakness (generalized) – facial NOS |
| M48.04 | Stenosis, spinal – thoracic | M62.81 | Weakness (generalized) – muscle (generalized) |
| M48.06 | Stenosis, spinal – lumbar | R63.4 | Weight loss |
| R22.9 | Swelling, localized (skin) | R06.2 | Wheezing |
| R22.0 | Swelling, localized (skin) – head | | |
| R22.1 | Swelling, localized (skin) – neck | | |
| R22.2 | Swelling, localized (skin) – trunk | | |
| R22.3- | Swelling, localized (skin) – upper limb | | |

For additional codes and when prompted by “-” or “.” following an ICD-10 code, consult the ICD-10 coding book.